

EXPLODED VIEW & PARTS LISTING


Air Operated Double Diaphragm pump

Model : DP-15BP.

Yamada Europe B.V.



Material: PPG (Reinforced Polypropylene)



DP PUMPS REQUIRE A FRL
UNIT TO LUBRICATE THE
COMPRESSED AIR

FRL-1A



To Purchase:



0031 (0)74 242 2032



sales@yamada.nl


More information:



YouTube: [@yamadapump](https://www.youtube.com/@yamadapump)



yamada-europe.com



Tighting torque for:

Center rod: 14Nm
Out chambers: 12Nm
Manifolds: 12Nm

Special tools (sold seperately)

None

Miscellaneous:

Assembly oil: use turbine oil none additional class 1
Equiv. to ISO VGA32 grade
Use Urea grease grade NLGI No. 2

EXPLODED VIEW & PARTS LISTING

Air Operated Double Diaphragm pump

Model : DP-15BP.

Yamada Europe B.V.



Material: PPG (Reinforced Polypropylene)



DIAPHRAGM

Design

NBR	EPDM	HYTREL	SANTOPRENE	PTFE
BPN	BPE	BPH	BPS	BPT
852280	YE Original	851752	852676	851744
Part No.	Part No.	Part No.	Part No.	Part No.
687229	687229	687229	687229	687229
681300	681300	681300	681300	681300
631329	631329	631329	631329	631329
640027	684115	640027	684115	643027
771806	771806	771806	771806	771806
771525	771979	773125	773169	771524
780162	780162	780162	780162	780162
770968	770968	770968	770968	770968
640005	643005	—	—	643005
708770	708770	708770	708770	708770
714678	714678	714678	714678	714678
684900	684900	684900	684900	684900
771352	771352	771352	771352	771352
770551	770551	770551	770551	770551
780271	780271	780271	780271	780271
715106	715106	715106	715106	715106
630807	630807	630807	630807	630807
684284	684284	684284	684284	684284
640131	640131	640131	640131	640131
772651	772651	772651	772651	772651
801785	801785	801785	801785	801785
772619	772619	772619	772619	772619
770973	771848	771372	771972	770933
780119	780119	780119	780119	780119
681855	681855	681855	681855	681855
804504	804504	804504	804504	804504
706798	706798	706798	706798	706798
710587	710587	710587	710587	710587
771357	771357	771357	771357	771357
710574	710574	710574	710574	710574
801404	801404	801404	801404	801404
771356	771356	771356	771356	771356
710636	710636	710636	710636	710636
681855	681855	681855	681855	681855
682943	682943	682943	682943	682943
682918	682918	682918	682918	682918
686825	686825	686825	686825	686825
682276	682276	682276	682276	682276
611152	611152	611152	611152	611152
771358	771358	771358	771358	771358
621160	621160	621160	621160	621160
681293	681293	681293	681293	681293
K115D-PN	K115D-PE	K115D-PH	K115D-PS	K115D-PT
K15V-BPN	K15V-BPE	K15V-BPH	K15V-BPS	K15V-BPT
K15-PN-B	K15-PE-B	K15-PH-B	K15-PS-B	K15-PT-B
K10-AM				
K10-AMS				

EXPLODED VIEW & PARTS LISTING

Air Operated Double Diaphragm pump



MODEL : DP-15BP.


Model : DP-15BP.

Yamada Europe B.V.



Material: PPG (Reinforced Polypropylene)

Diaphragm options	NBR, EPDM, TPEE, TPO,	PTFE
Max performance	28 L/min	28 L/min
Manifold connection	NPT 1/2"	
Net Weight	4,0 kg	



0,1MPa = 1Bar

